1.1.1	Untreated dental caries prevalence among children (aged 2-4 and 6-8 years), adolescents (aged 12-15 years), and adults (aged 35-44 years) by selected demographic characteristics				
1.2.1	Decayed, missing, and filled surfaces among children (aged 6-8 years), adolescents (aged 12-15 years), and adults (aged 35-44 years) by selected demographic characteristics				
1.2.2	Decayed and filled surfaces among children (aged 2-4 and 6-8 years) 172				
1.3.1	Trends in primary dentition untreated dental caries prevalence among children (aged 2-4 and 6-8 years) and trends in permanent dentition untreated dental caries among children (aged 6-8 years), adolescents (aged 12-15 years) and adult (aged 35-44 years) by selected demographic characteristics				
2.1.1	Children and adolescents with dental sealants by age group and selected demographic characteristics				
2.2.1	Percentage of population receiving fluoridated water through public water systems by state—United States, 2000				
3.1.1	Prevalence of gingivitis among adults aged 20 and older by selected demographic characteristics				
3.2.1	Destructive periodontal disease among adults aged 20 and older by selected demographic characteristics				
4.1.1	Adults aged 18 and older with full dentition by selected demographic characteristics				
4.2.1	Adults aged 20 and older with 21 or more teeth by selected demographic characteristics				
4.2.2	Adults aged 50 and older with 21 or more teeth by selected demographic characteristics				
4.3.1	Edentulous adults 65 to 74 years old by selected demographic characteristics				
4.3.2	Edentulous adults 45 to 64 years old by selected demographic characteristics				
4.3.3	Edentulous adults 25 to 44 years old by selected demographic characteristics				
4.4.1	Edentulous adults who had and used their dentures				
5.1.1	Adults aged 18 and older with a self-assessed oral health status of good or better				

xii Oral Health U.S., 2002

6.1.1	Adults aged 18 and older with oral infections and benign lesions 186				
7.1.1	Visits to a dentist during the past year among those aged 2 years and older 187				
7.2.1	Percentage of nursing home residents who received dental care during the last 30 days: United States, 1997				
7.3.1	Percentage of children aged 18 years and younger who received preventive dental services during 1997 by type of service				
7.3.2A	A Percentage of children aged 18 years and younger living below the federal poverty level during 1997 by extent of dental services received				
7.3.2B	B Percentage of children aged 18 years and younger living at or above the federal poverty level during 1997 by extent of dental services received				
7.4.1	States, districts, and schools with oral health-related services and policies at school-based health centers, 2000				
7.6.1	Full-time equivalent dental care employees and dental directors by state, 2000				
7.7.1	Adults with a usual source of dental care, 1971-1975				
7.8.1	Percent of population who received preventive dental services during 1997 by type of service				
7.9.1	Adults who did not visit a dentist during the past 12 months due to cost by selected demographic characteristics				
8.0.1	Federal, nationally representative surveillance systems with an oral health component				
8.0.2	State-based health surveillance systems with an oral health component 72				
9.1.1	Prevalence of cleft lip and/or palate and other congenital malformations per 100,000 live births				
10.1.1	Adults experiencing chronic orofacial pain more than once during the past 6 months				
10.2.1	Adults experiencing acute orofacial pain during the past 6 months 197				
11.1.1	Incidence of craniofacial injuries among emergency room visits by selected demographic characteristics				
12.1.1	School children aged 12-17 years with smokeless tobacco lesions by selected demographic characteristics				

Oral Health U.S., 2002 xiii

12.1.2	Smokeless tobacco lesions among adults aged 18 and older by selected demographic characteristics			
12.2.1	High school students who used tobacco by selected demographic characteristics			
12.2.2	Trends in percentage of adults who are current cigarette smokers			
13.1.1	Incidence rates for oral and pharyngeal cancers by stage and selected demographic characteristics			
13.1.2	Incidence rates for oral and pharyngeal cancers for all stages by race 204			
13.1.3	Incidence rates for oral and pharyngeal cancers by stage at diagnosis 205			
13.2.1	Adults aged 40 years and older reporting having had an oral and pharyngeal cancer examination			
13.3.1	Oral and pharyngeal cancer deaths (per 100,000)			
13.4.1	Incidence rates for oral and pharyngeal cancers by site			
13.4.2	Incidence rates for oral and pharyngeal cancers by site and race			
13.4.3	Incidence rates for oral and pharyngeal cancers by site and stage at diagnosis			
13.4.4	Incidence rates for oral and pharyngeal cancers by site and gender 208			
14.1.1	Proportion of subjects reporting dry mouth symptoms often or all the time by age			
14.1.2	Percentage distribution of the prevalence of symptoms of dry mouth among men and women of different age groups (20-80 years), and number of responders in each age group in the whole population sample and separately for the nonmedicated and the medicated subgroup			
15.1.1	Percentage of adults aged 30 and older with diabetes by selected demographic characteristics			
15.2.1	Percentage of dentate adults aged 50 and older reporting a dental visit in the last year by diabetic status			
15.2.2	Percentage of edentulous adults aged 50 and older reporting a dental visit in the last year by diabetes status			
15.3.1	Frequency of oral lesions by gender			
15.4.1	Prevalence of osteoporosis among adults aged 45 and older			

xiv Oral Health U.S., 2002

16.1.1	Distribution of U.S. adult population with dental and/or medical insurance by selected demographic characteristics, 1997
16.2.1	Annual per capita costs for dental services by year and source of payment, 1960-1999
16.2.2	Mean annual dental expense among persons with dental expenses by source of payment and population characteristics, 1977
16.2.3	Mean annual dental expense by source of payment, 1987
16.2.4	Mean annual dental expense by source of payment, 1996
16.3.1	Trends in the percent of total annual dental expense by source of payment, 1960-1999
16.3.2	Percent of total annual dental expense by source of payment, 1977
16.3.3	Percent of total annual dental expense by source of payment, 1987
16.3.4	Percent of total annual dental expense by source of payment, 1996 220
16.4.1	Percentage of the population underserved by a dental professional by state, September 2001
16.6.1	Racial/ethnic make-up of dentists in the United States (as summarized by the ADA between 1995 and 1997)
16.7.1	Percent representation in the 1999 and 2000 U.S. dental school graduating class by selected characteristics
16.7.2	Plans following dental school graduation by race/ethnicity
17.1.1	Hours missed annually from work for personal dental visits and problems among the employed population
17.1.2	Time missed from work among those with time missed by selected occupations
17.1.3	Hours missed annually from school for personal dental visits and problems among the U.S. population 5-17 years old

Oral Health U.S., 2002 xv